

Contents of *Aquaculture*, Volume 250

VOL. 250 NOS. 1–2

14 November 2005

Diseases

- Anti-luminous *Vibrio* factors associated with the 'green water' grow-out culture of the tiger shrimp *Penaeus monodon*
G.D. Lio-Po, E.M. Leaño, Ma.M.D. Peñaranda, A.U. Villa-Franco, C.D. Sombito and N.G. Guanzon Jr. (Iloilo, Philippines) 1
- An enzyme linked immunosorbent assay for the detection of *Kudoa thyrsites* in Atlantic salmon *Salmo salar*
K. Taylor and S. Jones (Nanaimo, British Columbia, Canada) 8
- Generation of *Edwardsiella tarda* ghosts by bacteriophage PhiX174 lysis gene *E*
S.R. Kwon, Y.K. Nam, S.K. Kim, D.S. Kim and K.H. Kim (Pusan, Korea) 16
- Towards setting breakpoints for oxolinic acid susceptibility of *Aeromonas salmonicida* using distribution of data generated by standard test protocols
P. Smith and M. Hiney (Galway, Ireland) 22
- Surface disinfection of cod *Gadus morhua* and haddock *Melanogrammus aeglefinus* eggs with bronopol
J.W. Treasurer, E. Cochrane (Argyll, UK) and A. Grant (Inverness-shire, UK) 27
- Osteological development of the vertebral column and of the fins in *Diplodus puntazzo* (Cetti, 1777)
D.G. Sfakianakis, C.K. Doxa (Crete, Greece), S. Kouttoui, G. Koumoundouros (Rio, Greece), E. Maingot, P. Divanach and M. Kentouri (Crete, Greece) 36
- Effect of chronic confinement stress on the immune responses in different sex ratio groups of *Oreochromis mossambicus* (Peters)
C. Binuramesh, M. Prabhakaran (Madurai, India), D. Steinhagen (Hannover, Germany) and R.D. Michael (Madurai, India) 47
- Dispersal of the skin fluke *Benedenia serialae* (Monogenea: Capsalidae) by tidal currents and implications for sea-cage farming of *Seriola* spp.
C.B. Chambers and I. Ernst (Adelaide, SA, Australia) 60

Genetics

- Evaluation of three strategies using DNA markers for traceability in aquaculture species
B. Hayes, A.K. Sonesson and B. Gjerde (Ås, Norway) 70
- Fertilization by intracytoplasmic sperm injection in Nile tilapia (*Oreochromis niloticus*) eggs
G.A. Poleo, C. Greg Lutz, G. Cheuk and T.R. Tiersch (Baton Rouge, LA, USA) 82
- Heritability of the categorical trait 'number of spawns' in Pacific white female shrimp *Penaeus (Litopenaeus) vannamei*
A.M. Ibarra, F.G. Arcos (La Paz B.C.S., Mexico), T.R. Famula (Davis, CA, USA), E. Palacios and I.S. Racotta (La Paz B.C.S., Mexico) 95
- Non-MHC genetic and tank effects influence disease challenge tests in Atlantic salmon (*Salmo salar*)
S. Kjøglum (Oslo, Kyrksæterøra, Norway), U. Grimholt and S. Larsen (Oslo, Norway) 102
- Allozyme revealed substantial genetic diversity between hatchery stocks of Siamese fighting fish, *Betta splendens*, in the province of Nakhonpathom, Thailand
O. Meejui (Karnchanaburi, Thailand), S. Sukmanomon and U. Na-Nakorn (Bangkok, Thailand) 110
- Genetic parameters for upper thermal tolerance and growth-related traits in rainbow trout (*Oncorhynchus mykiss*)
G.M.L. Perry (Ste-Foy, QC, Canada), C.M. Martyniuk (Ottawa, ON, Canada), M.M. Ferguson and R.G. Danzmann (Guelph, ON, Canada) 120

Contents of *Aquaculture*, Volume 250

VOL. 250 NOS. 1–2

14 November 2005

Diseases

- Anti-luminous *Vibrio* factors associated with the 'green water' grow-out culture of the tiger shrimp *Penaeus monodon*
G.D. Lio-Po, E.M. Leaño, Ma.M.D. Peñaranda, A.U. Villa-Franco, C.D. Sombito and N.G. Guanzon Jr. (Iloilo, Philippines) 1
- An enzyme linked immunosorbent assay for the detection of *Kudoa thyrsites* in Atlantic salmon *Salmo salar*
K. Taylor and S. Jones (Nanaimo, British Columbia, Canada) 8
- Generation of *Edwardsiella tarda* ghosts by bacteriophage PhiX174 lysis gene *E*
S.R. Kwon, Y.K. Nam, S.K. Kim, D.S. Kim and K.H. Kim (Pusan, Korea) 16
- Towards setting breakpoints for oxolinic acid susceptibility of *Aeromonas salmonicida* using distribution of data generated by standard test protocols
P. Smith and M. Hiney (Galway, Ireland) 22
- Surface disinfection of cod *Gadus morhua* and haddock *Melanogrammus aeglefinus* eggs with bronopol
J.W. Treasurer, E. Cochrane (Argyll, UK) and A. Grant (Inverness-shire, UK) 27
- Osteological development of the vertebral column and of the fins in *Diplodus puntazzo* (Cetti, 1777)
D.G. Sfakianakis, C.K. Doxa (Crete, Greece), S. Kouttoui, G. Koumoundouros (Rio, Greece), E. Maingot, P. Divanach and M. Kentouri (Crete, Greece) 36
- Effect of chronic confinement stress on the immune responses in different sex ratio groups of *Oreochromis mossambicus* (Peters)
C. Binuramesh, M. Prabhakaran (Madurai, India), D. Steinhagen (Hannover, Germany) and R.D. Michael (Madurai, India) 47
- Dispersal of the skin fluke *Benedenia serialae* (Monogenea: Capsalidae) by tidal currents and implications for sea-cage farming of *Seriola* spp.
C.B. Chambers and I. Ernst (Adelaide, SA, Australia) 60

Genetics

- Evaluation of three strategies using DNA markers for traceability in aquaculture species
B. Hayes, A.K. Sonesson and B. Gjerde (Ås, Norway) 70
- Fertilization by intracytoplasmic sperm injection in Nile tilapia (*Oreochromis niloticus*) eggs
G.A. Poleo, C. Greg Lutz, G. Cheuk and T.R. Tiersch (Baton Rouge, LA, USA) 82
- Heritability of the categorical trait 'number of spawns' in Pacific white female shrimp *Penaeus* (*Litopenaeus*) *vannamei*
A.M. Ibarra, F.G. Arcos (La Paz B.C.S., Mexico), T.R. Famula (Davis, CA, USA), E. Palacios and I.S. Racotta (La Paz B.C.S., Mexico) 95
- Non-MHC genetic and tank effects influence disease challenge tests in Atlantic salmon (*Salmo salar*)
S. Kjøglum (Oslo, Kyrksæterøra, Norway), U. Grimholt and S. Larsen (Oslo, Norway) 102
- Allozyme revealed substantial genetic diversity between hatchery stocks of Siamese fighting fish, *Betta splendens*, in the province of Nakhonpathom, Thailand
O. Meejui (Karnchanaburi, Thailand), S. Sukmanomon and U. Na-Nakorn (Bangkok, Thailand) 110
- Genetic parameters for upper thermal tolerance and growth-related traits in rainbow trout (*Oncorhynchus mykiss*)
G.M.L. Perry (Ste-Foy, QC, Canada), C.M. Martyniuk (Ottawa, ON, Canada), M.M. Ferguson and R.G. Danzmann (Guelph, ON, Canada) 120

Characterization of microsatellite DNAs in <i>Takifugu rubripes</i> genome and their utilization in the genetic diversity analysis of <i>T. rubripes</i> and <i>T. pseudommus</i> J.-Z. Cui, X.-Y. Shen, G.-P. Yang, Q.-L. Gong and Q.-Q. Gu (Qingdao, People's Republic of China)	129
Husbandry and Management	
Effects of mussel culture husbandry practices on various benthic characteristics G. Miron, T. Landry (Moncton, Nouveau-Brunswick, Canada), P. Archambault (Mont-Joli, Québec, Canada) and B. Frenette (Moncton, Nouveau-Brunswick, Canada)	138
First results of greater amberjack (<i>Seriola dumerili</i>) larval rearing in mesocosm N. Papandroulakis, C.C. Mylonas, E. Maingot and P. Divanach (Crete, Greece)	155
Do fish enhance tank mixing? M.R. Rasmussen, J. Laursen (Aalborg, Denmark), S.R. Craig and E. McLean (Blacksburg, VA, USA)	162
Breeding, rearing and feeding studies in the cleaner goby <i>Gobiosoma evelynae</i> I. Olivotto, A. Zenobi, A. Rollo, B. Migliarini, M. Avella and O. Carnevali (Ancona, Italy)	175
Modeling the depuration potential of blue mussels (<i>Mytilus</i> spp.) in response to thermal shock M. Cusson (Québec, Canada), R. Tremblay (Grande-Rivière, Québec, Canada), G. Daigle (Québec, Canada) and M. Roussy (Grande-Rivière, Québec, Canada)	183
The effects of ionizing radiation on the reproductive capacity of adult <i>Penaeus (Marsupenaeus) japonicus</i> (Bate) M.J. Sellars (Cleveland, Brisbane, Qld, Australia), B.M. Degnan, L.E. Carrington (Brisbane, Qld, Australia) and N.P. Preston (Cleveland, Qld, Australia)	194
The effects of salinity and temperature on growth and survival of Australian snapper, <i>Pagrus auratus</i> larvae D.S. Fielder (Taylors Beach, NSW, Launceston, Tasmania, Australia), W.J. Bardsley, G.L. Allan (Taylors Beach, NSW, Australia) and P.M. Pankhurst (Townsville, Queensland, Australia)	201
Structural and ultrastructural changes on muscle tissue of sea bass, <i>Dicentrarchus labrax</i> L., after cooking and freezing M.D. Ayala, O. López Albors (Murcia, Spain), A. Blanco (Córdoba, Spain), A. García Alcázar, E. Abellán (Pto.de Mazarrón, Spain), G. Ramirez Zarzosa and F. Gil (Murcia, Spain)	215
A model for experimental infections with <i>Vibrio (Listonella) anguillarum</i> in first feeding turbot (<i>Scophthalmus maximus</i> L.) larvae under hatchery conditions M. Planas, M. Pérez-Lorenzo, J. Antonio Vázquez and J. Pintado (Vigo, Spain)	232
An experimental comparison of sediment-based biological filtration designs for recirculating aquarium systems R.J. Toonen (Kaneohe, HI, Davis, CA, USA) and C.B. Wee (Davis, CA, USA)	244
Aquaculture trials for the production of biologically active metabolites in the New Zealand sponge <i>Mycale hentscheli</i> (Demospongiae: Poecilosclerida) M.J. Page (Nelson, New Zealand), P.T. Northcote, V.L. Webb, S. Mackey (Wellington, New Zealand) and S.J. Handley (Nelson, New Zealand)	256
Lipid composition of the giant lion's-paw scallop (<i>Nodipecten subnodosus</i>) in relation to gametogenesis: I. Fatty acids E. Palacios, I.S. Racotta (La Paz, Mexico), E. Kraffe, Y. Marty (Brest, France), J. Moal and J.F. Samain (Plouzané, France)	270
Food consumption and gastric emptying of <i>Farfantepenaeus paulensis</i> R. Soares, W. Wasielesky, S. Peixoto and F. D'Incao (Rio Grande, Brasil)	283
A comment on the methodology of stocking experiments M. Fréchette (Québec, Canada)	291
Size distribution in African catfish (<i>Clarias gariepinus</i>) affects feeding behaviour but not growth C.I.M. Martins, M. Aanyu, J.W. Schrama and J.A.J. Verreth (Wageningen, The Netherlands)	300
Nutrition	
Apparent digestibility of selected feed ingredients for Nile tilapia (<i>Oreochromis niloticus</i>) K. Köprücü and Y. Özdemir (Elazığ, Turkey)	308
Dietary value of different vegetable oil in black tiger shrimp <i>Penaeus monodon</i> in the presence and absence of soy lecithin supplementation: Effect on growth, nutrient digestibility and body composition K.P. Kumaraguru vasagam, S. Ramesh and T. Balasubramanian (Tamilnadu, India)	317
Tank colour and dietary arachidonic acid affects pigmentation, eicosanoid production and tissue fatty acid profile of larval Atlantic cod (<i>Gadus morhua</i>) M.P. Bransden (Hobart, Tasmania, Australia), G.M. Butterfield, J. Walden, L.A. McEvoy and J.G. Bell (Scotland, UK)	328
Development of the radula and digestive system of juvenile blacklip abalone (<i>Haliotis rubra</i>): Potential factors responsible for variable weaning success on artificial diets D. Johnston, N. Moltschanivskyj and J. Wells (Launceston, Tasmania, Australia)	341

Dietary selenium requirements of juvenile grouper, <i>Epinephelus malabaricus</i> Y.-H. Lin and S.-Y. Shiau (Keelung, Taiwan)	356
Mineral balance and bone formation in fast-growing Atlantic salmon parr (<i>Salmo salar</i>) in response to dissolved metabolic carbon dioxide and restricted dietary phosphorus supply S. Helland, S. Refstie, A. Espmark, K. Hjelde and G. Baeverfjord (Sundalsøra, Norway)	364
Evidence of a growth factor in some crustacean-based feed ingredients in diets for the giant tiger shrimp <i>Penaeus monodon</i> K.C. Williams, D.M. Smith, M.C. Barclay, S.J. Tabrett (Cleveland, Qld., Australia) and G. Riding (St. Lucia, Qld. Australia)	377
Digestive enzyme activities in Adriatic sturgeon <i>Acipenser naccarii</i> and rainbow trout <i>Oncorhynchus mykiss</i> . A comparative study M. Furné, M.C. Hidalgo, A. López, M. García-Gallego, A.E. Morales, A. Domezain, J. Domezainé and A. Sanz (Granada, Spain)	391
In vitro studies of the effects of aflatoxin B ₁ and fumonisin B ₁ on trypsin-like and collagenase-like activity from the hepatopancreas of white shrimp (<i>Litopenaeus vannamei</i>) A. Burgos-Hernández, S.I. Farias, W. Torres-Arreola and J.M. Ezquerro-Brauer (Sonora, Mexico)	399
Effect of structured lipids based on fish oil on the growth and fatty acid composition in rainbow trout (<i>Oncorhynchus mykiss</i>) N.S. Nielsen, J.R. Götsche (Lyngby, Denmark), J. Holm (Brande, Denmark), X. Xu, H. Mu and C. Jacobsen (Lyngby, Denmark)	411
Delivery of astaxanthin from <i>Haematococcus pluvialis</i> to the aquaculture food chain A. Domínguez, M. Ferreira, P. Coutinho, J. Fábregas and A. Otero (Santiago, Spain)	424
Alterations in fillet fatty acid profile and flesh quality in gilthead seabream (<i>Sparus aurata</i>) fed vegetable oils for a long term period. Recovery of fatty acid profiles by fish oil feeding M.S. Izquierdo, D. Montero, L. Robaina, M.J. Caballero (Canary Islands, Spain), G. Rosenlund (Stavanger, Norway) and R. Ginés (Canary Islands, Spain)	431
Physiology and Endocrinology	
High-resolution ¹ H magnetic resonance spectroscopy of whole fish, fillets and extracts of farmed Atlantic salmon (<i>Salmo salar</i>) for quality assessment and compositional analyses I.S. Gribbestad, M. Aursand and I. Martinez (Trondheim, Norway)	445
Temperature and photoperiod drive <i>Crassostrea gigas</i> reproductive internal clock C. Fabioux, A. Huvet, P. Le Souchu, M. Le Pennec and S. Pouvreau (Plouzané, France)	458
Lack of growth enhancement by exogenous growth hormone treatment in yellow perch (<i>Perca flavescens</i>) in four separate experiments S. Jentoft, N. Topp, M. Seeliger, J.A. Malison, T.P. Barry, J.A. Held (Madison, WI, USA), S. Roberts (Woods Hole, MA, USA) and F. Goetz (Milwaukee, WI, USA)	471
Acute stress alters intestinal function of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum) R.E. Olsen (Matredal, Norway), K. Sundell (Göteborg, Sweden), T.M. Mayhew (Nottingham, UK), R. Myklebust (Bergen, Norway) and E. Ringø (Matredal, Tromsø, Norway)	480
The morphology and occurrence of jaw and operculum deformities in cultured barramundi (<i>Lates calcarifer</i>) larvae M.R. Fraser and R. de Nys (Townsville, QLD, Australia)	496
Expression and purification of a biologically active recombinant rabbitfish (<i>Siganus guttatus</i>) growth hormone B. Funkenstein, A. Dyman, Z. Lapidot (Haifa, Israel), E.G. de Jesus-Ayson (Iloilo, Philippines), A. Gertler (Rehovot, Israel) and F.G. Ayson (Iloilo, Philippines)	504
Vertebrae of the trunk and tail display different growth rates in response to photoperiod in Atlantic salmon, <i>Salmo salar</i> L., post-smolts P.G. Fjellidal, U. Nordgarden, A. Berg (Matredal, Norway), S. Grotmol, G.K. Totland (Bergen, Norway), A. Wargelius and T. Hansen (Matredal, Norway)	516
Short communication	
Genotypic response to photoperiod treatment in Atlantic cod (<i>Gadus Morhua</i>) A.K. Imsland (Kópavogur, Iceland), A. Foss, A. Folkvord, S.O. Stefansson and T.M. Jonassen (Bergen, Norway)	525
Corrigenda	
Corrigendum to "Effect of the number of infected fish and acute exposure period on the horizontal transmission of <i>Loma salmonae</i> (Microsporidia) in rainbow trout, <i>Oncorhynchus mykiss</i> " [Aquaculture 244 (2005) 1–9] J.A. Becker, D.J. Speare and I.R. Dohoo (Prince Edward Island, Canada)	533
Corrigendum to "A review of the Norwegian 'National Action Plan Against Salmon Lice on Salmonids': The effect on wild salmonids" [Aquaculture 246 (2005) 79–92] P.A. Heuch (Oslo, Norway), P.A. Bjørn (Tromsø, Norway), B. Finstad (Trondheim, Norway), J.C. Holst, L. Asplin, and F. Nilsen (Bergen, Norway)	535
Announcement	536

VOL. 250 NOS. 3-4

30 December 2005

Letter to the Editor

Letter to the editor of *Aquaculture*

- A.M. Bakke-McKellep and Å. Kroghdahl (Oslo, Norway) 541

Review Articles

- Introduction of genetic engineering in aquaculture: Ecological and ethical implications for science and governance
A.I. Myhr and R.A. Dalmo (Tromsø, Norway) 542
- The impact of nutrition on metamorphosis in Atlantic halibut (*Hippoglossus hippoglossus* L.)
K. Hamre, M. Moren, J. Solbakken (Bergen, Norway), I. Opstad (Storebø, Norway) and K. Pittman
(Bergen, Norway) 555

Diseases

- Bacterial diversity of tilapia (*Oreochromis niloticus*) cultured in brackish water in Saudi Arabia
A.H. Al-Harbi and N. Uddin (Riyadh, Saudi Arabia) 566
- Development of a specific pathogen-free (SPF) population of the Chinese fleshy prawn *Fenneropenaeus chinensis*. Part I: Disease Pre-screening and Primary Quarantine
C.R. Pantoja (Tucson, AZ, USA), X. Song, L. Xia (Qingdao, People's Republic of China), H. Gong, J. Wilkenfeld (Yuma, AZ, USA), B. Noble and D.V. Lightner (Tucson, AZ, USA) 573
- Development of a specific pathogen free population of the Chinese fleshy prawn, *Fenneropenaeus chinensis*. Part II. Secondary quarantine
O.L. Hennig (Kailua-Kona, HI, USA), S.M. Arce, S.M. Moss (Waimanalo, HI, USA), C.R. Pantoja and D.V. Lightner (Tucson, AZ, USA) 579
- Pathogenicity of white spot syndrome virus on postlarvae and juveniles of *Penaeus* (*Litopenaeus*) *vannamei*
F. Pérez (Guayaquil, Ecuador; Leuven, Belgium), F.A.M. Volckaert (Leuven, Belgium) and J. Calderón (Guayaquil, Ecuador) 586
- Effect of water temperature on the immune response of white shrimp *Litopenaeus vannamei* to *Vibrio alginolyticus*
W. Cheng, L.-U. Wang and J.-C. Chen (Taiwan, ROC) 592
- Studies on mass summer mortality of cultured zhikong scallops (*Chlamys farreri* Jones et Preston) in China
J. Xiao (Shangdong, PR China), S.E. Ford (Miller Avenue, NJ, USA), H. Yang, G. Zhang (Shangdong, PR China), F. Zhang and X. Guo (Miller Avenue, NJ, USA) 602
- Toxicity of aqueous aluminium to the ectoparasitic monogenean *Gyrodactylus salaris*
A. Soleng, A.B.S. Poléo and T.A. Bakke (Oslo, Norway) 616

Genetics

- Selective breeding provides an approach to increase resistance of rainbow trout (*Onchorhynchus mykiss*) to the diseases, enteric redmouth disease, rainbow trout fry syndrome, and viral haemorrhagic septicaemia
M. Henryon, P. Berg (Tjele, Denmark), N.J. Olesen, T.E. Kjær (Aarhus, Denmark), W.J. Slierendrecht (Brande, Denmark), A. Jokumsen and I. Lund (Hirtshals, Denmark) 621
- Inter-specific variation of the mitochondrial *r16S* gene among silversides, "Peces Blancos" (Atherinopsidae: Menidiinae) and its utilization for species identification
I. de los Angeles Barriga-Sosa, M.Y. Pérez-Ramírez, F. Soto-Aguirre, M. Castillo-Rivera and J.L. Arredondo-Figueroa (México) 637

Husbandry and Management

- Effects of seed size and density on growth, tissue-to-shell ratio and survival of cultivated mussels (*Mytilus edulis*) in Prince Edward Island, Canada
J.-S. Lauzon-Guay, M. Dionne, M.A. Barbeau and D.J. Hamilton (New Brunswick, Canada) 652
- Photoperiod influences the growth, food intake, feed efficiency and digestibility of red sea bream (*Pagrus major*)
A.K. Biswas, M. Seoka, Y. Inoue, K. Takii and H. Kumai (Wakayama, Japan) 666
- Response of offshore cultivated *Laminaria saccharina* to hydrodynamic forcing in the North Sea
B.H. Buck (Bremerhaven, Germany) and C.M. Buchholz (Helgoland, Germany) 674
- Effect of the protein-lipids ratio on growth and maturation of the crayfish *Procambarus* (*Austrocambarus*) *llamasi*
C. Cammona-Osalde, M.A. Olvera-Novoa and M. Rodríguez-Serna (Yucatán, México) 692
- The effects of the decomposition of mangrove leaf litter on water quality, growth and survival of black tiger shrimp (*Penaeus monodon* Fabricius, 1798)
T.N. Hai and A. Yakupitiyage (Pathumthani, Thailand) 700

Differentiation of gonad maturation in sibling precocious males of the sea trout (<i>Salmo trutta</i> m. <i>trutta</i> L.) in their first year of life K. Dziewulska and J. Domagała (Szczecin, Poland)	713
Effects of elevated atmospheric CO ₂ on growth, photosynthesis and nitrogen metabolism in the economic brown seaweed, <i>Hizikia fusiforme</i> (Sargassaceae, Phaeophyta) D. Zou (Guangdong, China)	726
Two monoclonal antibodies for the recognition of <i>Mytilus</i> spp. larvae: studies on cultured larvae and tests on plankton samples S. Lorenzo-Abalde, Á. González-Fernández, E. de Miguel Villegas and J. Fuentes (Pontevedra, Spain)	736
Nutrition	
In vivo dry matter and protein digestibility of three plant-derived and four animal-derived feedstuffs and diets for juvenile Australian redclaw, <i>Cherax quadricarinatus</i> A. Campaña-Torres, L.R. Martínez-Cordova (Sonora, Mexico), H. Villarreal-Colmenares and R. Civera-Cerecedo (La Paz, Mexico)	748
The effect of dietary protein replacement by crystalline amino acid on growth and nitrogen utilization of turbot <i>Scophthalmus maximus</i> juveniles H. Peres and A. Oliva-Teles (Porto, Portugal)	755
Effect of dietary taurine levels on growth and feeding behavior of juvenile Japanese flounder <i>Paralichthys olivaceus</i> S.-K. Kim, T. Takeuchi (Tokyo, Japan), M. Yokoyama (Mie, Japan), Y. Murata (Kanagawa, Japan), M. Kaneniwa (Ibaraki, Japan) and Y. Sakakura (Nagasaki, Japan)	765
Growth efficiency of juvenile barramundi, <i>Lates calcarifer</i> , at high temperatures R.S. Katersky and C.G. Carter (Tasmania, Australia)	775
Use of formulated diets as replacements for <i>Artemia</i> in the rearing of juvenile American lobsters (<i>Homarus americanus</i>) M.F. Tlustý, D.R. Fiore and J.S. Goldstein (Boston, MA, USA)	781
Physiology and Endocrinology	
The effect of slaughtering procedures on blood spotting in rainbow trout (<i>Oncorhynchus mykiss</i>) and Atlantic salmon (<i>Salmo salar</i>) B. Roth, O.J. Torrissen and E. Slinde (Bergen, Norway)	796
Effect of lipid source and bile salts in diet of Atlantic salmon, <i>Salmo salar</i> L., on astaxanthin blood levels R.E. Olsen (Materdal, Norway), A. Kiessling (Materdal, Ås, Norway), J.E. Milley, N.W. Ross and S.P. Lall (Halifax, NS, Canada)	804
The use of luteinizing hormone releasing hormone analogue for ovulation induction in black sea bass (<i>Centropristis striata</i>) D.L. Berlinsky, W. King V (Durham, NH, USA) and T.I.J. Smith (Charleston, SC, USA)	813
Effects of temperature, salinity and pH on larval growth, survival and development of the sea cucumber <i>Holothuria spinifera</i> Theel P.S. Asha and P. Muthiah (Tuticorin, India)	823
Seasonal variation in flesh quality, comparison between large and small Atlantic salmon (<i>Salmo salar</i>) transferred into seawater as 0+ or 1+ smolts B. Roth (Bergen, Norway), S.J.S. Johansen (Inndyr, Norway), J. Suontama, A. Kiessling (Bergen, Norway), O. Leknes (Inndyr, Norway), B. Guldberg and S. Handeland (Bergen, Norway)	830
The effects of temperature and food ration on metabolite concentrations in newly settled king scallop (<i>Pecten maximus</i>) spat L.E. Hawkins, S. Hutchinson (Southampton, UK) and I. Laing (Dorset, UK)	841
Growth performance of gilthead sea bream <i>Sparus aurata</i> in different osmotic conditions: Implications for osmoregulation and energy metabolism R. Laiz-Carrión (Cádiz, Spain), S. Sangiao-Alvarellos (Vigo, Spain), J.M. Guzmán, M.P. Martín del Río (Cádiz, Spain), J.L. Soengas (Vigo, Spain) and J.M. Mancera (Cádiz, Spain)	849
Endocrine growth regulation of adult Atlantic salmon in seawater: The effects of light regime on plasma growth hormone, insulin-like growth factor-I, and insulin levels U. Nordgarden, T. Hansen (Matredal, Norway), G.-I. Hemre (Bergen, Norway), A. Sundby (Oslo, Norway) and B.T. Björnsson (Matredal, Norway; Göteborg, Sweden)	862
Contents of Aquaculture, Volume 250	872

Contents (continued)

Effect of water temperature on the immune response of white shrimp <i>Litopenaeus vannamei</i> to <i>Vibrio alginolyticus</i> W. Cheng, L.-U. Wang and J.-C. Chen (Taiwan, ROC)	592
Studies on mass summer mortality of cultured zhikong scallops (<i>Chlamys farreri</i> Jones et Preston) in China J. Xiao (Shangdong, PR China), S.E. Ford (Miller Avenue, NJ, USA), H. Yang, G. Zhang (Shangdong, PR China), F. Zhang and X. Guo (Miller Avenue, NJ, USA)	602
Toxicity of aqueous aluminium to the ectoparasitic monogenean <i>Gyrodactylus salaris</i> A. Soleng, A.B.S. Poléo and T.A. Bakke (Oslo, Norway)	616
Genetics	
Selective breeding provides an approach to increase resistance of rainbow trout (<i>Onchorhynchus mykiss</i>) to the diseases, enteric redmouth disease, rainbow trout fry syndrome, and viral haemorrhagic septicaemia M. Henryon, P. Berg (Tjele, Denmark), N.J. Olesen, T.E. Kjær (Aarhus, Denmark), W.J. Sliereendrecht (Brande, Denmark), A. Jokumsen and I. Lund (Hirtshals, Denmark)	621
Inter-specific variation of the mitochondrial <i>r16S</i> gene among silversides, "Peces Blancos" (Atherinopsidae: Menidiinae) and its utilization for species identification I. de los Angeles Barriga-Sosa, M.Y. Pérez-Ramírez, F. Soto-Aguirre, M. Castillo-Rivera and J.L. Arredondo-Figueroa (México)	637
Husbandry and Management	
Effects of seed size and density on growth, tissue-to-shell ratio and survival of cultivated mussels (<i>Mytilus edulis</i>) in Prince Edward Island, Canada J.-S. Lauzon-Guay, M. Dionne, M.A. Barbeau and D.J. Hamilton (New Brunswick, Canada)	652
Photoperiod influences the growth, food intake, feed efficiency and digestibility of red sea bream (<i>Pagrus major</i>) A.K. Biswas, M. Seoka, Y. Inoue, K. Takii and H. Kumai (Wakayama, Japan)	666
Response of offshore cultivated <i>Laminaria saccharina</i> to hydrodynamic forcing in the North Sea B.H. Buck (Bremerhaven, Germany) and C.M. Buchholz (Helgoland, Germany)	674
Effect of the protein-lipids ratio on growth and maturation of the crayfish <i>Procambarus (Austrocambarus) llamasii</i> C. Carmona-Osalde, M.A. Olvera-Novoa and M. Rodríguez-Serna (Yucatán, México)	692
The effects of the decomposition of mangrove leaf litter on water quality, growth and survival of black tiger shrimp (<i>Penaeus monodon</i> Fabricius, 1798) T.N. Hai and A. Yakupitiyage (Pathumthani, Thailand)	700
Differentiation of gonad maturation in sibling precocious males of the sea trout (<i>Salmo trutta</i> m. <i>trutta</i> L.) in their first year of life K. Dziewulska and J. Domagala (Szczecin, Poland)	713
Effects of elevated atmospheric CO ₂ on growth, photosynthesis and nitrogen metabolism in the economic brown seaweed, <i>Hizikia fusiforme</i> (Sargassaceae, Phaeophyta) D. Zou (Guangdong, China)	726
Two monoclonal antibodies for the recognition of <i>Mytilus</i> spp. larvae: studies on cultured larvae and tests on plankton samples S. Lorenzo-Abalde, Á. González-Fernández, E. de Miguel Villegas and J. Fuentes (Pontevedra, Spain)	736
Nutrition	
In vivo dry matter and protein digestibility of three plant-derived and four animal-derived feedstuffs and diets for juvenile Australian redclaw, <i>Cherax quadricarinatus</i> A. Campana-Torres, L.R. Martínez-Cordova (Sonora, Mexico), H. Villarreal-Colmenares and R. Civera-Cerecedo (La Paz, Mexico)	748
The effect of dietary protein replacement by crystalline amino acid on growth and nitrogen utilization of turbot <i>Scophthalmus maximus</i> juveniles H. Peres and A. Oliva-Teles (Porto, Portugal)	755
Effect of dietary taurine levels on growth and feeding behavior of juvenile Japanese flounder <i>Paralichthys olivaceus</i> S.-K. Kim, T. Takeuchi (Tokyo, Japan), M. Yokoyama (Mie, Japan), Y. Murata (Kanagawa, Japan), M. Kaneniwa (Ibanaki, Japan) and Y. Sakakura (Nagasaki, Japan)	765
Growth efficiency of juvenile barramundi, <i>Lates calcarifer</i> , at high temperatures R.S. Katersky and C.G. Carter (Tasmania, Australia)	775
Use of formulated diets as replacements for <i>Artemia</i> in the rearing of juvenile American lobsters (<i>Homarus americanus</i>) M.F. Tlustý, D.R. Fiore and J.S. Goldstein (Boston, MA, USA)	781

Physiology and Endocrinology

The effect of slaughtering procedures on blood spotting in rainbow trout (<i>Oncorhynchus mykiss</i>) and Atlantic salmon (<i>Salmo salar</i>) B. Roth, O.J. Torrissen and E. Slinde (Bergen, Norway)	796
Effect of lipid source and bile salts in diet of Atlantic salmon, <i>Salmo salar</i> L., on astaxanthin blood levels R.E. Olsen (Materdal, Norway), A. Kiessling (Materdal, Ås, Norway), J.E. Milley, N.W. Ross and S.P. Lall (Halifax, NS, Canada)	804
The use of luteinizing hormone releasing hormone analogue for ovulation induction in black sea bass (<i>Centropristis striata</i>) D.L. Berlinsky, W. King V (Durham, NH, USA) and T.I.J. Smith (Charleston, SC, USA)	813
Effects of temperature, salinity and pH on larval growth, survival and development of the sea cucumber <i>Holothuria spinifera</i> Theel P.S. Asha and P. Muthiah (Tuticorin, India)	823
Seasonal variation in flesh quality, comparison between large and small Atlantic salmon (<i>Salmo salar</i>) transferred into seawater as 0+ or 1+ smolts B. Roth (Bergen, Norway), S.J.S. Johansen (Inndyr, Norway), J. Suontama, A. Kiessling (Bergen, Norway), O. Leknes (Inndyr, Norway), B. Guldborg and S. Handeland (Bergen, Norway)	830
The effects of temperature and food ration on metabolite concentrations in newly settled king scallop (<i>Pecten maximus</i>) spat L.E. Hawkins, S. Hutchinson (Southampton, UK) and I. Laing (Dorset, UK)	841
Growth performance of gilthead sea bream <i>Sparus aurata</i> in different osmotic conditions: Implications for osmoregulation and energy metabolism R. Laiz-Carrión (Cádiz, Spain), S. Sangiao-Alvarellos (Vigo, Spain), J.M. Guzmán, M.P. Martín del Río (Cádiz, Spain), J.L. Soengas (Vigo, Spain) and J.M. Mancera (Cádiz, Spain)	849
Endocrine growth regulation of adult Atlantic salmon in seawater: The effects of light regime on plasma growth hormone, insulin-like growth factor-I, and insulin levels U. Nordgarden, T. Hansen (Matredal, Norway), G.-I. Hemre, A. Sundby (Oslo, Norway) and B.T. Björnsson (Matredal, Norway; Göteborg, Sweden)	862
Contents of Aquaculture, Volume 250	872

